

# Statistical Sampling



A guide for gathering data

# Table of Contents


- Learning Objectives
- Sampling Methods
  - Random Sampling
  - Systematic Sampling
  - Stratified Sampling
  - Cluster Sampling
  - Convenience Sampling
- Sampling Videos
- Sampling Relationships
- Example 1: Identifying Sampling Methods
- Example 2: Utilizing Sampling Methods
- References

# Objectives

- Define the five basic sampling methods
  - Random
  - Systematic
  - Stratified
  - Cluster
  - Convenience
- Identify sampling methods in an example
- Use sampling methods to choose data

# Random Sampling


- The “pick a name out of the hat” technique
  - Random number table
  - Random number generator



Hawkes and Marsh (2004)

# Systematic Sampling

- All data is sequentially numbered
- Every  $n$ th piece of data is chosen



Hawkes and Marsh (2004)

# Stratified Sampling


- Data is divided into subgroups (strata)
- Strata are based on specific characteristics
  - Age
  - Education level
  - Etc.
- Use random sampling within each strata



Hawkes and Marsh (2004)

# Cluster Sampling

- Data is divided into clusters
  - Usually geographic
- Random sampling used to choose clusters
- All data used from selected clusters



Hawkes and Marsh (2004)

# Convenience Sampling

- Data is chosen based on convenience
  - BE WARY OF BIAS!




Hawkes and Marsh (2004)



# Sampling Videos

- Random and Stratified Random Sampling  
(YouTube, 2009)
- Cluster and Systematic Sampling  
(YouTube, 2009)

# Sampling Relationships



# Example 1: Sampling Methods

In a class of 18 students, 6 are chosen for an assignment

Sampling Type	Example
Random	Pull 6 names out of a hat
Systematic	Selecting every 3 <sup>rd</sup> student
Stratified	Divide the class into 2 equal age groups. Randomly choose 3 from each group
Cluster	Divide the class into 6 groups of 3 students each. Randomly choose 2 groups
Convenience	Take the 6 students closest to the teacher

# Example 2: Utilizing Sampling Methods

- Determine average student age
  - Sample of 10 students
  - Ages of 50 statistics students

18	21	42	32	17	18	18	18	19	22
25	24	23	25	18	18	19	19	20	21
19	29	22	17	21	20	20	24	36	18
17	19	19	23	25	21	19	21	24	27
21	22	19	18	25	23	24	17	19	20

# Example 2 – Random Sampling

- Random number generator

([www.random.org](http://www.random.org))

Data Point Location	Corresponding Data Value
35	25
48	17
37	19
14	25
47	24
4	32
33	19
35	25
34	23
3	42
<b>Mean</b>	25.1

# Example 2 – Systematic Sampling

- Take every **5<sup>th</sup>** data point

Data Point Location	Corresponding Data Value
5	17
10	22
15	18
20	21
25	21
30	18
35	21
40	27
45	23
50	20
<b>Mean</b>	20.8


# Example 2 – Convenience Sampling

- Take the first 10 data points

Data Point Location	Corresponding Data Value
1	18
2	21
3	42
4	32
5	17
6	18
7	18
8	18
9	19
10	22
<b>Mean</b>	22.5

# Example 2 - Comparison

## Sampling Method vs. Average Age





# References

- Hawkes, J., & Marsh, W. (2004). *Discovering Statistics* (2nd ed.). Charleston, SC: Hawkes Publishing Inc..
- YouTube. (2009). *Random Sample*. Retrieved from <http://www.youtube.com/watch?v=xh4zxC1OpiA&feature=related>
- YouTube. (2009). *Types of Random*. Retrieved from <http://www.youtube.com/watch?v=wUwH7Slfg9E&feature=related>